Things you need to do before you start using this tool.

- 1. Download and install itunes
- 2. Download and install .net framework
- 3. Download WinRa1n 1.0 from support

WinRa1n 1.0 (Beta)	—		\times
Welcome to WinRa1n! Connect Your iPhone, iPad to begin. iKeyPrime 2.1 has been released! All services are working!			4
 CheckM8 For boot untrusted images [A8-A11] CheckRa1n For jailbreak devices [A8-A11, iOS12-iOS14] 			
Made by iKeyTools (3rd Anniversary) Credits: Checkra 1n Team, dora2-iOS, Gaster, Palera 1n, iKeyTools Use Note: Please ensure you have a backup of your device before applyin While data loss is unlikely. we won'the before responsible if somethin Use at your own risk.	rs g the ja g gones	ilbreak. wrong.	Quit

- 1. Run Winra1n 1.0 and connect Phone.
- 2. Connect powered on phone to your pc.
- 3. Make sure that CheckM8 option is selected.
- 4. Press Fix Driver.

🖪 WinRa1n 1.0 (Beta)		50		×
Welcome to WinRa1n!				
iPhone 6s (iOS 15.7.6) connected in Normal Mode			* 10	Ŧ
ECID: 000C609C0878CC26 SN: DNPQ8GH8GRY6			لكن	٧
CheckM8				
For boot untrusted images [A8-A11]				
○ CheckRa1n				
For jailbreak devices [A8-A11, iOS12-iO	S14]			
Made by iKeyTools (3rd Anniversary)				
Credits: Checkra1n Team, dora2-iOS, Gaster	, Palera1n, iKeyTools U	sers		
Note: Please ensure you have a backup of yo While data loss is unlikely. we won'the befor Use at your own risk.	our device before apply re responsible if someth 3	ving the jail ing gones	break. wrong.	
UsbDK Config 2	F) Fix Driver (N)	Next	(Q)	Quit

- 5. Make sure phone is identified ok as in screenshot above.
- 6. Press Next.

🖪 WinRa1n 1.0 (Beta)			\times
Welcome to WinRa1n! iPhone 6s (iOS 15.7.6) connected in Normal Mode ECID: 000C609C0878CC26 SN: DNPQ8GH8GRY6			4
 CheckM8 For boot untrusted images [A8-A11] 	. 1		
Check For ja			
Made by iKeyTools (3rd Anniversary) Credits: Checkra 1n Team, dora2-iOS, Gaster, Palera 1n, iKeyTools Use Note: Please ensure you have a backup of your device before applyin While data loss is unlikely. we won'the before responsible if somethin Use at your own risk.	rs g the ja g gones	ilbreak. wrong.	
UsbDK Config 2 (F) Fix Driver (N) Ne	ext	(Q)	Quit

- 7. Wait until Software turns your phone in recovery mode.
- 8. Follow the steps showing on Winra1n software to enter correct DFU.

🖪 WinRa1n 1.0 (Beta)		_	
Welcome to WinRa1n! Connect Your iPhone, iPad to begin.			
[CHECKM8] [STAGE]: Heap Feng-Shui			
	(L) Like	(D) Done	(Q) Quit

9. Once phone is in correct DFU the software will continue to PWNDU as above

WinRa1n 1.0 (Beta)		-		×
Welcome to WinRa1n! iPhone 6s connected in CheckM8 Mode ECID: 000C609C0878CC26 CPID: 0x8003				₹
[CHECKM8] [STAGE]: Exploit Success!				
	(L) Like (D) D	one	(0)	Quit

10. Once PWNDFU is successful then it should show as above, if it fails then you can try again until done.